


ASMA TOOLS is the largest factory in Egypt and Middle East specialized in the production of tools & welding machines with 25 years of experience on an area of 5000 square meters.

We produce tools & machines for welding pipes & fittings of polypropylene using the latest machines with the highest CNC technologies and the latest laser cutting and laser welding with CNC Milling.






### **OUR VISION**

ASMA TOOLS Company seeks to compete on the global lead, so the factory was developed using the best tools and modern technologies, where CNC technology & lasers were used for cut and welding & we continue to develop to be the largest factory in Egypt and the Middle East in the production of welding machines, pipes & polypropylene cutting.

### **OUR MISSION**

Providing the best available options at possible prices while maintaining the quality of products & providing all tools of all shapes & types.





#### AS 1000 PPRC welding machine

Dimensions

410 x 260 x 82 mm

20, 25, 32, 40, 50, 63 MM





#### AS 1000

Sleeve welding unit for plastic pipe and fittings in PB, PE, PP, PVDF heating element  $230 \text{ V} - 50 \text{ Hz} \div 60 \text{ Hz}$ , without PTFE - coated socket optionally adjustable temperature  $180 - 290^{\circ}\text{C}$ .

• DESCRIPTION	• PIPE Ø MM	• POWER
AS 1000	20 - 63	1000





#### AS 1000 C PPRC welding machine

Dimensions

410 x 260 x 82 mm

20, 25, 32, 40, 50, 63 MM





#### AS 1000 C

Sleeve welding unit for plastic pipe and fittings in PB, PE, PP, PVDF heating element  $230 \text{ V} - 50 \text{ Hz} \div 60 \text{ Hz}$ , without PTFE - coated socket optionally adjustable temperature  $180 - 290 ^{\circ}\text{C}$ .

• DESCRIPTION	• PIPE Ø MM	• POWER
AS 1000 C	20 - 63	1000



#### AS 1500 D PPRC welding machine

**Dimensions** 

410 x 260 x 82 mm

20, 25, 32, 40, 50, 63 MM







## **AS 1500**

Sleeve welding unit for plastic pipe and fittings in PB, PE, PP, PVDF heating element 230 V - 50 Hz ÷ 60 Hz, without PTFE - coated socket optionally adjustable temperature 180 - 290°C.

• DESCRIPTION	PIPE Ø MM	POWER
AS 1500	20 - 63	750 <u>+</u> 750 1500







#### AS 125 PPRC welding machine

Dimensions

410 x 260 x 82 mm

75, 90, 110, 125 MM





#### AS 125

Sleeve welding unit for plastic pipe and fittings in PB, PE, PP, PVDF heating element  $230 \text{ V} - 50 \text{ Hz} \div 60 \text{ Hz}$ , without PTFE - coated socket optionally adjustable temperature  $180 - 290 ^{\circ}\text{C}$ .

• DESCRIPTION	• PIPE Ø MM	• POWER
AS 125	75 - 125	1500















**TEST PUMP** 
















# **NOTES**

# TO DO LIST

www.asmatools.com

